

Online Features

Access

Cleveland Clinic Journal of Medicine content is readily available to all and is free of charge at **www.ccjm.org**. On your first visit, we will ask you to take a few minutes to register, but subsequent visits will be unencumbered except for an occasional request for your e-mail address when you visit using another device (eg, mobile phone, tablet).

Services

- Navigate quickly to articles in current and past issues via links on the home page and pull-down menus at the top of the page. Use the search function to find a specific article, or browse by topic or article type.
- Continuing medical education activities are accessible from article links and from a CME pulldown menu on the home page. Participation is free.
- Follow links on the home page to news, summaries of recent scientific meetings, and interactive quizzes.
- Click on the PDF symbol at the top of any online article to read, download, or print the article in PDF format.

Social Networking

To post a *CCJM* article to Facebook or Twitter, just click on the icon at the top of any online article.

www.ccjm.org

TABLE OF CONTENTS

FROM THE EDITOR

Outcome measures need context

138

The patient in front of me may differ from those seen in a clinical trial and may care about other outcome measures.

B.F. MANDELL

1-MINUTE CONSULT

142

Should we be concerned about thyroid cancer in patients taking glucagon-like peptide 1 receptor agonists?

The risk in humans is difficult to quantify, but low.

S. KANNAN AND C. NASR

COMMENTARY

- - -

But how many people died? Health outcomes in perspective

146

Before dispensing advice, we should know the effect of what we recommend on all meaningful outcomes.

V. PRASAD

THE CLINICAL PICTURE.....

151

Pneumatosis cystoides intestinalis: Is surgery always indicated?

This disease is usually benign, but evidence of necrosis or pneumoperitoneum warrants immediate surgery.

D. KANCHERLA, S. VATTIKUTI, AND K. VIPPERLA

SMART TESTING

Does this patient need ultrasonography 153 of the leg to evaluate for deep vein thrombosis?

If the pretest probability of deep vein thrombosis is low, a normal D-dimer level is enough to rule it out.

C.J. DINE AND S.L. WALLACH

CONTINUED ON PAGE 136

MARCH 2015

CONTINUED FROM PAGE 135



IM BOARD REVIEW.....

When the dissociation curve shifts to the left 156

The patient's clinical signs and oxygen saturation monitor indicated hypoxemia, but her blood gases were normal.

B. AGGARWAL, R. KOHLI, R. ASHTON, AND M. AURON



REVIEW

Is triglyceride therapy worth the effort?

162

177

Levels do matter, but no trials of triglyceride-lowering have been done. Weight loss and exercise are encouraged.

M. MILLER



Left atrial appendage closure: 167 An emerging option in atrial fibrillation when oral anticoagulants are not tolerated

Can patients undergo a percutaneous procedure to reduce their risk of stroke and avoid lifelong anticoagulation treatment?

D.C. PERITZ AND E.H. CHUNG



REVIEW

Managing aneurysmal subarachnoid hemorrhage: It takes a team

There is no silver bullet, but systematic application of small advances maximizes the patient's chance of recovery.

A.L. DE OLIVEIRA MANOEL, D. TURKEL-PARRELLA, A. DUGGAL, A. MURPHY, V. McCREDIE, and T.R. MAROTTA

DEPARTMENTS

CME Calendar 139 Letters to the Editor 140

A reader comments on diabetes therapy and cardiac risk (November 2013).

2014 Reviewers 161
CME Directions Inside back cover

Upcoming Features

- Alcoholic hepatitis: Challenges in diagnosis and management
- Resuming anticoagulation after a hemorrhage
- Mammography at age 40: Point and counterpoint
- Marijuana goes mainstream: Should we worry?
- Bye-bye, Papanicolaou: HPV-only screening
- Managing medications during transitions of care
- Targeted therapies for psoriasis, melanoma, and basal cell carcinoma
- The Surviving Sepsis Campaign's mission to improve outcomes

