## TABLE OF CONTENTS

<b>GGLT-2 inhibitors: Diabetes and CKD and CHF (and gout?), oh my!</b> What mechanisms might account for the diverse beneficial effects of the SGLT-2 inhibitors observed across various diseases? rian F. Mandell, MD, PhD	
	392
Varicose veins	401
A 60-year-old man presented with a 20-year history of slowly worsening prominent veins in both lower limbs.	
oelle Boctor, MD; Paul Aronowitz, MD	
1-MINUTE CONSULT	
Do patients with sepsis benefit from intravenous albumin?	405
Patients with sepsis who do not need vasopressors do not benefit from intravenous albumin compared with intravenous crystalloid therapy alone.	
Ryan Dunn, MD; Kealy Ham, MD; Lisa Marks, MLS, AHIP; Neera Agrwal, MD, PhD	
1-MINUTE CONSULT	
Does my patient with acute variceal hemorrhage need a transjugular intrahepatic portosystemic shunt?	409
Placement of a transjugular intrahepatic portosystemic shunt can be used as salvage therapy to control bleeding when endoscopic management fails and as a means of secondary prophylaxis in select patients.	
Mahnur Haider, MD; Indira Bhavsar-Burke, MD; Robert S. O'Shea, MD, MSCE; Christina C. Lindenmeyer, MD	

CONTINUED ON PAGE 390



CLEVELAND CLINIC JOURNAL OF MEDICINE VOLUME 91 • NUMBER 7 JULY 2024 389

CONTINUED FROM PAGE 389



## CIVIE CREDIT TEST

Visit WWW.CCJM.ORG Test your knowledge of clinical topics and earn AMA PRA Category 1 Credit<sup>™</sup> and ABIM MOC points



390 CLEVELAND CLINIC JOURNAL OF MEDICINE VOLUME 91 • NUMBER 7 JULY 2024