SUBJECT INDEX

Ambisexualism in children, diagnosis and treatment of, 41

Ammonium, in blood, determination by modification of Conway technic, 202

Anesthesia

Methoxyflurane, new anesthetic agent, clinical evaluation based on 206 cases, 174

use of oxymorphone hydrochloride during, for operations on head and neck, 157

Angiography

Carotid arteriography, percutaneous retrograde, new technic, 215

Hypogastric arteriography prior to continuous infusion of malignant tumors of uterine cervix and vagina, 119

Arteries, see Carotid arteries.

Arteriography, see Angiography.

Artificial kidney for acute glutethimide (Doriden) and barbiturate poisoning; report of four representative cases, 58

Ascites

cirrhotic, intravenous infusion of dialyzed autogenous ascitic fluid in management of; report of favorable results in six patients, 82

"intractable," in decompensated cirrhosis, medical management of; favorable response of five patients, 67

Barbiturate poisoning, artificial kidney for acute glutethimide (Doriden) and; report of four representative cases, 58

Bladder, urinary, radiotherapy in treatment of carcinoma of, 222

Blood

ammonium, determination of, by modification of Conway technic, 202

demonstration of colloidosmotic effect of, on cerebrospinal fluid, 232

preservation of coagulation system in stored whole, 125

Bunts Institute, see Postgraduate courses.

Carcinoma

gastric, reports of 12 patients surviving longer than 15 years, 235

of urinary bladder, radiotherapy for, 222

of uterine cervix and vagina, hypogastric arteriography prior to continuous infusion of, 119 prostatic

connective tissue disease and, treated with estrogens, 49

conservative treatment of; clinical observations, 14

Carotid arteries

Carotid arteriography, percutaneous retrograde, new technic, 215

Carotid artery, internal, headache common symptom in thrombosis of, 25

Cerebrospinal fluid, demonstration of colloidosmotic effect of blood on, 232

Cervix, uterine, and vagina, hypogastric arteriography prior to continuous infusion of malignant tumors of, 119

Cholesterol, serum, in hyperlipemia, guide for dietary reduction of, 142

Collins, Everett Naughtin, M.D., In Memoriam, 2 Corticosteroids, intradural administration of, for relief of sciatica, 198

Dermatophytosis, recurrent lymphangitis of leg associated with; report of 25 consecutive cases, 19

Errata, 184

Erythrocyte uptake in vitro, of I¹³¹-labeled *l*-triiodothyronine, as measurement of thyroid function; results of 133 determinations, 28

Estrogens as treatment for connective tissue disease and carcinoma of prostate, 49

Face: Hemifacial spasm, report of case of five-year cure of, 219

Glutethimide (Doriden), acute, and barbiturate poisoning, use of artificial kidney for; report of four representative cases, 58

Head

ache, common symptom in thrombosis of internal carotid artery, 25

and neck, use of oxymorphone hydrochloride during anesthesia for operations on, 157 Hydrocortisone, epidural injections of procaine and, for relief of sciatica, 191

Hyperlipemia, guide for dietary reduction of serum cholesterol in, 142

Iodine: Thyroid gland function measured by in vitro erythrocyte uptake of I¹³¹-labeled *l*-triiodothyronine; results of 133 determinations, 28

Kidney, artificial, for acute glutethimide (Doriden) and barbiturate poisoning; report of four representative cases, 58

Leg, recurrent lymphangitis of, associated with dermatophytosis; report of 25 consecutive cases, 19

Letter to the editor, 35

Liver

management of "intractable" ascites in decompensated cirrhosis; favorable response of five patients to medical treatment, 67

intravenous infusion of dialyzed, autogenous, ascitic fluid in management of cirrhotic ascites; report of favorable results in six patients, 82

Lymphangitis, recurrent, of leg, associated with dermatophytosis; report of 25 consecutive cases, 19

Lymph nodes, benign lymphoepithelial cysts (ectopic salivary gland tissue) in; report of two cases, 109

Methoxyflurane, new anesthetic agent, clinical evaluation based on 206 cases, 174

Myelomeningocele, result of *rupture* of embryonic neural tube, 88

Neck

head and, use of oxymorphone hydrochloride during anesthesia for operations on, 157 vascular, pain, common symptom seldom recognized; analysis of 100 consecutive cases, 5

Neural tube, embryonic, myelomeningocele result of rupture of, 88

Neutrophils, alkaline-phosphatase activity in, clinical application of modified azo-dye technic for determination of, 146 Obituary—Everett Naughtin Collins, M.D., 2 Oxymorphone hydrochloride, use of, during anesthesia for operations on head and neck, 157

Postgraduate courses, Bunts Institute, 39, 117, 189, 243

Procaine and hydrocortisone, epidural injections of, for relief of sciatica, 191

Prostate

cancer of, conservative treatment; some clinical observations, 14

connective tissue disease and carcinoma of, treatment with estrogens, 49

Publications, recent, by Staff, 36, 114, 185, 240

Radiotherapy for carcinoma of urinary bladder, 222

Salivary gland tissue, ectopic, benign lymphoepithelial cysts in lymph nodes; report of two cases, 109

Sciatica

epidural injections of procaine and hydrocortisone for relief of, 191

intradural administration of corticosteroids for relief of, 198

Stomach, carcinoma of, report of 12 patients who survived longer than 15 years, 235

Syphilis, evaluation of Reiter protein complement-fixation (RPCF) test for, 162

Thalassemia intermedia, biochemical and genetic considerations of; report of case, 101

Thrombosis, internal carotid artery, headache a common symptom in, 25

Thyroid gland function measured by in vitro erythrocyte uptake of I¹³¹-labeled *l*-triiodothyronine; results of 133 determinations, 28

Triiodothyronine, see Thyroid gland.

Vagina, uterine cervix and, hypogastric arteriography prior to continuous infusion of malignant tumors of, 119